

MotherBoard PCCHIPS M810L XP

Generalidades

- > SiS730S chipset
- > Onboard AMD Duron
- > 2PCI slots,1AGP slot,1AMR slot
- > microATX Form Factor



Especificaciones

PROCESSORS

- > Onboard AMD Duron
 - Support 200MHz FSB

Chipset

- > SiS 730S single chipset with following features:
 - Integrated advanced 128-bit 2D/3D graphic engine.
- > LPC I/O V ITE IT8705F.
- > System Hardware Monitor: Integrated in ITE IT8705F.
- > LAN V VIA VT6103 (optional).

-
- > Audio V AC 97 Codec VIA VT1612A.

System BIOS

- > AMI 2Mb Firmware Hub.
- > Supports Plug and Play 1.0A, APM 1.2, Multi Boot, DMI.
- > Support ACPI revision 1.0 specification.

Memory

- > 2 SDRAM DIMM Sockets.
 - Two 168-pin DIMM Socket for SDRAM memory module.
- > Maximum: 1GB.

Expansion Slots

- > 2 PCI slots, 1 AGP slot, 1 AMR slot.

Form Factor & Layers

- > microATX (244mm*220mm), 4 Layers.

I/O Interface

- > Back Panel I/O Ports.
 - PS/2 keyboard and mouse connectors.
 - Dual USB2.0 Ports and a LAN connector.
 - One EPP/ECP mode parallel port.
 - One 16550 high-speed serial I/O port.
 - One VGA connector.
 - Audio ports (Mic, Audio-in, Audio-out and game port).
- > Dual PCI IDE interfaces - support four IDE devices (PIO mode 4, DMA Mode 2, Ultra DMA 66/100).
- > Supports 360K~2.88M Byte, 3 Mode FDDs or LS120.
- > ATX Power Supply Connector.
- > Ports, Headers and others
 - IrDA header.
 - Internal PC speaker header.
 - Extra Mic./ Speaker header.
 - CD ROM/DVD Audio Input header.
 - Extra USB Ports.
 - HDD LED, Reset Switch, Suspend LED, Power Switch headers.
 - CPU and Chassis Fan headers.

RTC & Battery

- > Integrate CMOS SRAM in SiS730S.
- > With CMOS hardware clear jumper.

Special Features

- > Supports Wake on LAN, Wake on Modem, Interrupt Wake-Up from Keyboard/Mouse, and Keyboard Power ON/OFF.

DRIVERS

Manual: <ftp://ftp.pcchips.com.tw/manual/m810/810s71h.zip>

AGP Driver: <ftp://ftp.pcchips.com.tw/agp/sis.zip>

Sound Driver: <ftp://ftp.pcchips.com.tw/sound/sis7018.zip>

MODEM Driver: <ftp://ftp.pcchips.com.tw/modem/810amrcnr.zip>

MODEM Driver(AMR): <ftp://ftp.pcchips.com.tw/modem/amrcnr.zip>

VGA Driver: <ftp://ftp.pcchips.com.tw/vga/sis630.zip>